

SOLEX[®]

Top Security Locks +++ High Quality Products



SRW
SURIWONG

Another security essentials by | www.suriwong.com.my



Top Security Locks +++ High Quality Products

About	01
Mach II Plus Brass & Chromium	06
G5 Brass & Chromium	07
SUS 304 Marine Padlock	08
CU Chromium (Heavy Duty)	08
CN Chromium (Heavy Duty)	08
Mach II Plus Master Key	09
Mach II Plus Alike	10
SL 110 Brass (Spring System)	11
MP Series / CL Series / TL Series	12
Accessories	13
Cylindrical Door Knob	15
Alloy Handle Lockset	18
Single & Double Deadbolt	24
Stainless Steel Mortise Lockset	26
Mortise Lockcase	28
Euro Cylinder	29
Bathroom Euro Cylinder	31
Door Clip	31
Stainless Steel Mortise Lock	32
Special Door Lock Case	32
Hinges	33
Door Stopper & Door Closer	34
Stainless Steel Door Bolt	35
Index	36

History of Solex

Solex was founded in the late 70's by a group of Thai entrepreneurs who believed it was possible to design and manufacture quality padlocks comparable to the top international brands. Having first-hand knowledge of the manufacturing processes of some of the world's top padlock brands, the group sought to improve on existing padlock designs. Solex stood out as one of the few Asian brands at the time to invest heavily in technology acquirement and research and development, an aspect that Solex continues to proudly maintains till this day.

Solex took just under a decade to establish its presence in the global market, and to mark the achievement, a new hi-technology manufacturing plant in Bangkhutein was put into operation. This plant boasts among the largest manufacturing capacities within the region. The investments in research and development also saw Solex introducing new padlock ranges that incorporated the latest sophisticated security features and improved materials and craftsmanship. Today, Solex padlocks is sold in over 60 countries, and has become a trusted brand in many markets, helping to protect millions of homes and properties around the world.



COUNTRIES WITH SOLEX SECURITY


The Americas & Europe
North America, Canada, Czech Republic, Slovakia, Germany, Poland, Sweden, Italy, Greece, Russia, United Kingdom, Finland, Brazil, Venezuela, Argentina, Ecuador, Chile, Bolivia, Mexico, Costa Rica, Guatemala, Aruba, Panama

Asia & Oceania

China, India, Hong Kong, Singapore, Thailand, Malaysia, Taiwan, Japan, Sri Lanka, Pakistan, Indonesia, Vietnam, Myanmar, Cambodia, Phillippines, Laos PDR, Bangladesh, Australia, New Zealand

Middle East & Africa

United Arab Emirates, Lebanon, Saudi Arabia, Oman, Qatar, Bahrain, Yemen, Iran, Afghanistan, Uganda, Rwanda, Zanzibar, Botswana, Kenya, Mauritius, Zimbabwe, South Africa, Tanzania, Libya, Ethiopia, Ghana

SOLEX 
Top Security Locks +++ High Quality Products

Our Philosophy Is Your Assurance

Solex was founded on the simple philosophy of making a better product. This philosophy has resulted in continual significant investments and emphasis on the design of a padlock from the ground-up. Every single details, from the smallest component to the largest, is studied, refined and tested to create ever better padlocks with industry leading security levels.

With the proliferation of new and unproven brands of padlocks on the market today, consumers might be led to believe that anyone can design and manufacture a quality padlock. That couldn't be further from the truth, with cheap padlocks proving to often jam, are easily cut, or easy to pick. Solex, with its proud tradition on design craftsmanship and security technology, has built up a reputation for reliable, durable and secure padlocks that have proven itself in real-world conditions over and over.



Did you know that even a basic padlock has over 20 precision components?

The combination of state-of-the-art precision computer imaging design, manufacturing expertise and craftsmanship tradition ensures that each component within a Solex padlock works in perfect mechanical harmony with strength and durability.



Quality Control

High precision computerised cutting of raw materials ensures less wastage and consistency among the millions of components produced. Every tenth piece produced is also subject to exhaustive quality standard checks to ensure that Solex padlocks are free from manufacturing inconsistencies or defects.

Worldwide Certification & Recognition

Solex padlocks are backed by worldwide certification and recognition, including the ISO 9001:2008 certification for the manufacture of padlocks, cylindrical locks and locks in the United Kingdom; alongside a host of other certifications and recognition from countries all over the world like Paris, Poland, Singapore, Thailand, Madrid and Tanzania.



Superior Craftsmanship

Computerised precision and quality control mean nothing without the passion of craftsmanship. Solex padlocks are designed by master craftsman that elevate the design and manufacturing of padlocks to an artform. Aesthetics, ease of usage, and the tactile feel are key considerations. For example, the designers at Solex have paid particular emphasis on the 'feel' of the key when turned in the padlock, to ensure that the action can be performed quickly without hesitation or jamming.

Choice of materials are often the key-difference between padlock brands.

Solex padlocks use only the highest grade materials, such as Molybdenum Steel for the shackles, or 100% virgin brass for the padlock bodies. Molybdenum Steel is harder than Boron and hardened steel, which is commonly used in competing padlocks, especially in the basic and mid-range padlocks. Solex makes no such distinction, and even our most basic range of padlocks feature molybdenum steel shackles.



Also used in high-stress aircraft and industrial motor parts, Molybdenum steel is an extremely hard steel that has high anti-corrosion resistance and withstand extreme temperature fluctuations.

Extreme Durability Testing

Beyond lab testing and certification, Solex padlocks also undergo extreme real world tests to ensure their strength and security. A military-grade test was conducted on a Solex padlock body by firing live bullet rounds at it from an M16 rifle. The result was that while the bullets damaged the body, the shackle remained secure and intact.



Padlock Features

Solex padlocks boasts of industry leading features within each of its product range. Look for the following icons for each Solex padlock featured in this catalog to learn of its key features.



Anti-Allen key



Anti-Picking



Anti-Cut



Anti-Rust



Virgin Brass



Ball Bearing
(Stainless Steel
SUS304)



High Key-Code
Combination



Unique
Self-Cleaning
System



Re-Keyable



Key Retaining
System



Non-Spring
System



Padlock Body
(Stainless Steel
SUS304)



Coding Disc
(Stainless Steel
SUS304)



Cylinder Drum
(Stainless Steel
SUS304)



Molybdenum


CHROME PLATED BRASS BODY
for Anti-Corrosion
GRADE ★★★★★

DISC LOCK MECHANISM
for highest resistance against
picking, yanking and
Allen key bend
Security Level
GRADE ★★★★★

**SOLID BRASS CYLINDER
WITH BRASS AND STAINLESS
STEEL CODE DISC**
for long lasting durability and
against corrosion
GRADE ★★★★★

REKEYABLE PURPOSE
for changing code and cleaning

3 SOLID BRASS KEYS INCLUDED
Padlock Maintenance: occasionally oil lubricate



**CHROME PLATED
MOLYBDENUM SHACKLE**
for maximum protection against
sawing, yanking, striking and
putting
Security Level
GRADE ★★★★★
Anti-Corrosion
GRADE ★★★★★

**SUS 304 STAINLESS STEEL
BALLS DOUBLE LOCKING
MECHANISM**
for highest resistance against
yanking, striking and pulling
Security Level
GRADE ★★★★★
Anti-Corrosion
GRADE ★★★★★

CHROME PLATED BRASS RING
for maximum protection against
Allen key bend and yanking
Security Level
GRADE ★★★★★
Anti-Corrosion
GRADE ★★★★★

MACH II PLUS



MACH II PLUS


MACH II PLUS L

DIMENSION (MM)
MACH II PLUS

Size	A	B	C	D	E	F	G
30	31	21	53	28	20	15	5
35	36	21	58	29	22	18	7
40	41	21	64	31	24	20	8
50	51	21	73	38	25	23	10
60	61	23	93	48	33	28	12

- SOLEX-MII30
- SOLEX-MII35
- SOLEX-MII40
- SOLEX-MII50
- SOLEX-MII60

- Solid brass body made of virgin brass for optimum durability.
- Chrome-plated Molybdenum steel shackle for protection against sawing, prying and rust.
- Stainless steel 304 ball bearing within double locking mechanism to prevent rust and friction, providing smooth opening operation.
- Disc lock mechanism for protection against prying and picking.
- More than 1,000,000 code combination.
- Internal - Solid brass cylinder and hardened steel ring for optimum durability and security.
- Available in standard and long shackle length.
- 3 keys provided.



MACH II PLUS L (Long Shackle)

Size	A	B	C	D	E	F	G
40	41	21	83	32	43	20	8
50	51	21	93	38	45	23	10

- SOLEX-MII40L
- SOLEX-MII50L

MACH II PLUS | CR



MACH II PLUS CR


MACH II PLUS CR L

DIMENSION (MM)
MACH II PLUS CR

Size	A	B	C	D	E	F	G
30	31	21	53	28	20	15	5
35	36	21	58	29	22	18	7
40	41	21	64	31	24	20	8
50	51	21	73	38	25	23	10
60	61	23	93	48	33	28	12

- SOLEX-MII30CR
- SOLEX-MII35CR
- SOLEX-MII40CR
- SOLEX-MII50CR
- SOLEX-MII60CR

- Solid Brass with chromium-plated body.
- Chrome-plated Molybdenum steel shackle for protection against sawing, prying and rust.
- Stainless steel 304 ball bearing within double locking mechanism to prevent rust and friction, providing smooth opening operation.
- Disc lock mechanism for protection against prying and picking.
- Internal - Solid brass cylinder and hardened steel ring for optimum durability and security.
- Available in standard and long shackle length.
- 3 keys provided.



MACH II PLUS CR L (Long Shackle)

Size	A	B	C	D	E	F	G
40	41	21	83	32	43	20	8
50	51	21	93	38	45	23	10

- SOLEX-MII40CRL
- SOLEX-MII50CRL




G5



G5

G5 L

- Solid brass body made of pure virgin brass for optimum durability.
- Chrome-plated Molybdenum steel shackle for protection against sawing, prying and rust.
- Stainless steel 304 ball bearing within double locking mechanism to prevent rust and friction, providing smooth opening operation.
- Disc lock mechanism for protection against prying and picking.
- Internal - Solid brass cylinder and hardened steel ring for optimum durability and security.
- Available in standard and long shackle length.
- 3 keys provided.



DIMENSION (MM)

G-5

Size	A	B	C	D	E	F	G
45	46	21	69	35	25	22	9
55	56	23	80	40	29	26	11

- SOLEX-G5-45 SOLEX-G5-55

G-5 L (LONG SHACKLE)

Size	A	B	C	D	E	F	G
45	46	21	89	35	45	22	9
55	56	23	102	40	51	25	11

- SOLEX-G5-45L SOLEX-G5-55L


G5 | CR



G5 CR

G5 CR L

- Solid Brass with chromium-plated body.
- Chrome-plated Molybdenum steel shackle for protection against sawing, prying and rust.
- Stainless steel 304 ball bearing within double locking mechanism to prevent rust and friction, providing smooth opening operation.
- Disc lock mechanism for protection against prying and picking.
- Internal - Solid brass cylinder and hardened steel ring for optimum durability and security.
- Available in standard and long shackle length.
- 3 keys provided.



DIMENSION (MM)

G-5 CR

Size	A	B	C	D	E	F	G
45	46	21	69	35	25	22	9
55	56	23	80	40	29	26	11

- SOLEX-G5-45CR SOLEX-G5-55CR

G-5 CR L (LONG SHACKLE)

Size	A	B	C	D	E	F	G
45	46	21	89	35	45	22	9
55	56	23	102	40	51	25	11

- SOLEX-G5-45CRL SOLEX-G5-55CRL




SUS 304 MARINE



SUS 304

SUS 304 L

- Solid stainless steel 304 body.
- Stainless steel 304 shackle for protection against sawing, prying and rust.
- Stainless steel 304 ball bearing within double locking mechanism to prevent rust and friction, providing smooth opening operation.
- Disc lock mechanism for protection against prying and picking.
- Internal - Solid stainless steel cylinder, hardened stainless steel 304 threaded ring and stainless steel 304 coding disc.
- Available in standard and long shackle length.
- 3 keys provided.



DIMENSION (MM)
SUS 304

Size	A	B	C	D	E	F	G
40	41	21	62	32	23	20	8
50	51	21	72	38	24	23	10

- SOLEX-SS40 SOLEX-SS50


SUS 304 L (LONG SHACKLE)

Size	A	B	C	D	E	F	G
40	41	21	82	32	43	20	8
50	51	21	93	38	45	23	10

- SOLEX-SS40L SOLEX-SS50L



CU Series / CN Series




CU Series

DIMENSION (MM)
CU Series

Size	A	B	C	D	E	F
CU 62/75	62	28	75	27	11	12
CU 67/84	67	29	84	36.6	12.7	16.7

- SOLEX-CU62/75 SOLEX-CU67/84




CN Series

CN Series


Size	A	B	C	D	E	F
CN 62/78	78	25	62	26	11	28

- SOLEX-CN62/78

- Hardened steel chromium-plated body.
- Hardened steel shackle for protection against sawing, prying and rust.
- Disc lock mechanism for protection against prying and picking.
- Internal - Solid brass cylinder and hardened steel ring for optimum durability and security.
- 3 keys provided.



Master Key System



MACH II PLUS CR, Master Key

The Mach II Plus Master Key System consists of a series of padlocks which can be opened by its own unique key, and a single master key which can open all the padlocks. Padlocks within the series can be custom made into various sizes to fit various applications.

Master Key Ordering Information

SOLEX-MII-MK403CR - 40mm (3:1)
 SOLEX-MII-MK404CR - 40mm (4:1)
 SOLEX-MII-MK405CR - 40mm (5:1)
 SOLEX-MII-MK406CR - 40mm (6:1)
 SOLEX-MII-MK4010CR - 40mm (10:1)

SOLEX-MII-MK503CR - 50mm (3:1)
 SOLEX-MII-MK504CR - 50mm (4:1)
 SOLEX-MII-MK505CR - 50mm (5:1)
 SOLEX-MII-MK506CR - 50mm (6:1)
 SOLEX-MII-MK5010CR - 50mm (10:1)

Packing Type



PVC Blister Pack



Key-Alike System



MACH II PLUS CR (Key-Alike)



G5 CR (Key-Alike)



SUS 304 CR (Key-Alike)

Key-Alike System

The Mach II Plus Key-Alike system consists of an entire series of padlocks that can be opened by a single key, thus no master key is required. This convenience is preferred in applications where one key can open a series of locks, such as in electrical supply boxes, shared public utilities with access granted to multiple individuals.

MACH II CR Key-Alike

Ordering Information

SOLEX-MII-KA403CR - 40mm (3:1)
 SOLEX-MII-KA404CR - 40mm (4:1)
 SOLEX-MII-KA405CR - 40mm (5:1)
 SOLEX-MII-KA406CR - 40mm (6:1)
 SOLEX-MII-KA4010CR - 40mm (10:1)

SOLEX-MII-KA503CR - 50mm (3:1)
 SOLEX-MII-KA504CR - 50mm (4:1)
 SOLEX-MII-KA505CR - 50mm (5:1)
 SOLEX-MII-KA506CR - 50mm (6:1)
 SOLEX-MII-KA5010CR - 50mm (10:1)

G5 CR Key-Alike

Ordering Information

SOLEX-G5-KA452CR - 45mm (2:1)
 SOLEX-G5-KA453CR - 45mm (3:1)
 SOLEX-G5-KA454CR - 45mm (4:1)
 SOLEX-G5-KA455CR - 45mm (5:1)

SOLEX-G5-KA552CR - 55mm (2:1)
 SOLEX-G5-KA553CR - 55mm (3:1)
 SOLEX-G5-KA554CR - 55mm (4:1)
 SOLEX-G5-KA555CR - 55mm (5:1)

SUS 304 Key-Alike

Ordering Information

SOLEX-KA502SS - 50mm (2:1)
 SOLEX-KA503SS - 50mm (3:1)
 SOLEX-KA504SS - 50mm (4:1)
 SOLEX-KA505SS - 50mm (5:1)

Packing Type



PVC Blister Pack



Anti-Allen key



Anti-Picking



Anti-Cut



Anti-Rust



100%
Virgin Brass



Ball Bearing
(Stainless Steel
SUS304)



Molybdenum



High Key-Code
Combination



Unique
Self-Cleaning
System



Re-Keyable



Key Retaining
System



Non-Spring
System

Solid Brass Padlock (Spring System)

SL 110 Series



☐ SOLEX-SL110-20




☐ SOLEX-SL110-25



☐ SOLEX-SL110-30



☐ SOLEX-SL110-40



For Wet Condition
 • Solid brass Body & cylinder
 • Chrome plated hardened steel shackle

Packing :
 20 mm - 12 Pcs / 40 Box
 25 mm - 12 Pcs / 30 Box
 30 mm - 12 Pcs / 20 Box
 40 mm - 12 Pcs / 12 Box

Complete with accessories



3 nickel plated brass keys


Packing Type



PVC Blister Pack

MP / CL / TL

□ SOLEX-MP70



MP70

- Double locking by boot and padlock.
- Top Security padlock with disc lock mechanism.
- More than 1,000,000 key combinations.
- Made of hardened steel.
- Anti-picking, anti-yanking, anti-sawing.
- Ideal for warehouses, factories.


DIMENSION (MM)

MP

Model	A	B	C	D	E	F
MP70	122.5	114	44.5	10	18	66



□ SOLEX-TL



CL (Container Lock)

- Double locking by boot and padlock.
- Top Security padlock with disc lock mechanism.
- More than 1,000,000 key combinations.
- Made of hardened steel.
- Anti-picking, anti-yanking, anti-sawing.
- Ideal for warehouses, factories.


DIMENSION (MM)

TL

Model	A	B	C	D	E	F
TL	135	134	60	78	22	52.5



□ SOLEX-CL




TL (Treller Lock)

- Heavy duty lock.
- Hardened steel shackle.
- More than 1,000,000 key combinations.
- Springless disc lock mechanism.
- Ideal for trailers and large diameter locking applications.

DIMENSION (MM)

CL

Model	A	B	C	D
CL	125	400	390	40



Anti-Allen key



Anti-Picking



Anti-Cut



Anti-Rust



100%
Virgin Brass



Molybdenum




High Key-Code
Combination



Unique
Self-Cleaning
System


Accessories

Padlock Bar 69 U-Hardened



□ SOLEX-BAR69

Padlock Bar 88 U-Hardened




□ SOLEX-BAR88



DIMENSION (MM)
Padlock Bar

Size	A	B	C	D	E
69	63	5 x 2	69	18	18
88	63	6 x 2	88	18	34

Key Blanks



SOLEX 



Lockset

Cylindrical Door Knob

500 Series



Packing Type :



PVC Blister Pack

□ **SOLEX-500SS**

or



Box Pack

□ **SOLEX-500SS(B)**


Complete with accessories



3 nickel plated
brass keys



Finish : SS



ENTRANCE

Inside - Push button Outside - Key

Pushing button to lock outside knob until unlocked by key or by turning inside knob .

Specifications:

- Heavy duty steel chasis construction .
- Brass pin tumbler security.
- Deadlocking latchbolt .
- Backset : 60mm. (2 3/8")
- Door thickness : 25mm. - 45mm. (1" - 1 3/4")
- Packing : 24 sets / Ctn



□ **SOLEX-500SSBK(B)**

Complete with accessories




Finish : SS

Packing Type :



Box Pack



BATHROOM

- Inside - Push button .
- Outside - Flat narrow hole pushing button to lock outside knob
EFFECTIVE only after door closed (pushing button prior door closed, will release the button when closing the door).
Emergency release in outside knob will flat narrow tool .

Specifications:

- Heavy duty steel chasis construction .
- Brass pin tumbler security.
- Deadlocking latchbolt .
- Backset : 60mm. (2 3/8")
- Door thickness : 25mm. - 45mm. (1" - 1 3/4")
- Packing : 24 sets / Ctn



□ **SOLEX-500SSP(B)**

Complete with accessories




Finish : SS

Packing Type :



Box Pack



PASSAGE

- Inside & Outside - Knob always unlocked.
- Door Open & close always by latch bolt through knob at all times.

Specifications:

- Heavy duty steel chasis construction .
- Brass pin tumbler security.
- Deadlocking latchbolt .
- Backset : 60mm. (2 3/8")
- Door thickness : 25mm. - 45mm. (1" - 1 3/4")
- Packing : 24 sets / Ctn

Cylindrical Door Knob


500 Series



□ SOLEX-500AB



□ SOLEX-500AC



Complete with accessories



3 nickel plated brass keys



Finish : SS

Packing Type :



Box Pack


Specifications:

- Heavy duty steel chasis construction .
- Brass pin tumbler security.
- Deadlocking latchbolt .
- Backset : 60mm. (2 3/8")
- Door thickness : 25mm. - 45mm. (1" - 1 3/4")
- Packing : 24 sets / Ctn

6200 AC (Entrance) (Antique Copper)



□ SOLEX-6200AC



Complete with accessories



3 nickel plated brass keys



Finish : AC

Packing Type :



PVC Blister Pack

ENTRANCE

Inside - Push button Outside - Key

Pushing button to lock outside knob until unlocked by key or by turning inside knob .

Specifications:

- Heavy duty steel chasis construction .
- Brass pin tumbler security.
- Deadlocking latchbolt .
- Backset : 60mm. (2 3/8")
- Door thickness : 25mm. - 45mm. (1" - 1 3/4")
- Packing : 24 sets / Ctn

9500 Series




□ SOLEX-9500SS



□ SOLEX-9500AB



□ SOLEX-9500AC



Complete with accessories



3 nickel plated brass keys



Finish : SS

Packing Type :



PVC Blister Pack

Specifications:

- Heavy duty steel chasis construction .
- Brass pin tumbler security.
- Deadlocking latchbolt .
- Backset : 60mm. (2 3/8")
- Door thickness : 25mm. - 45mm. (1 1/8" - 1 3/4")
- Packing : 24 sets / Ctn

Cylindrical Door Knob

9100 Series




□ SOLEX-9100SS



□ SOLEX-9100AB



□ SOLEX-9100AC



Complete with accessories



3 nickel plated brass keys



Finish : AC



PVC Blister Pack

Packing Type :

Specifications:

- Heavy duty steel chasis construction .
- Brass pin tumbler security.
- Deadlocking latchbolt .
- Backset : 60mm. (2 3/8")
- Door thickness : 25mm. - 45mm. (1 1/8" - 1 3/4")
- Packing : 24 sets / Ctn

9220 Series




□ SOLEX-9220SS



□ SOLEX-9220AB



□ SOLEX-9220AC



Complete with accessories



3 nickel plated brass keys



Finish : SS



PVC Blister Pack

Packing Type :

Specifications:

- Heavy duty steel chasis construction .
- Brass pin tumbler security.
- Deadlocking latchbolt .
- Backset : 60mm. (2 3/8")
- Door thickness : 25mm. - 45mm. (1 1/8" - 1 3/4")
- Packing : 24 sets / Ctn

9850 Series




□ SOLEX-9850SS



□ SOLEX-9850AB



□ SOLEX-9850AC



Complete with accessories



3 nickel plated brass keys



Finish : AC



PVC Blister Pack

Packing Type :

Specifications:

- Heavy duty steel chasis construction .
- Brass pin tumbler security.
- Deadlocking latchbolt .
- Backset : 60mm. (2 3/8")
- Door thickness : 25mm. - 45mm. (1 1/8" - 1 3/4")
- Packing : 24 sets / Ctn

Alloy Handle Lockset

700 Series



□ SOLEX-700SS



□ SOLEX-700AB



□ SOLEX-700AC

Sepecification

- SOLEX Security 5 Brass pin tumbler cylinder.
- 1" inch projection solid brass deadbolt with hardened steel rolling insert to prevent sawing.
- Interior operation by thumbturn and free acting handle or knob.
- Protection coating for corrosion resistance on exterior applications.
- Universal latchbolt and deadbolt units allow for installation with either 2 3/8" or 2 3/4" backset.
- Install in either right or left hand swinging door
- Fit door 1 1/4" to 1 3/4" thick
- Packing: 10 Sets / Ctn

Complete with accessories



1" inch projection solid brass deadbolt with hardened steel rolling insert




Latch



3 nickel plated brass keys



Window idisplay box



Alloy Handle Lockset

3862 Series



□ SOLEX-3862SS



□ SOLEX-3862AB



□ SOLEX-3862AC

Sepecification

- 5 Brass pin tumbler cylinder.
- Protection coating for corrosion resistance.
- Latch bolt and deadbolt units : Installation 2 3/8" or 2 3/4" backset.
- Swing Door : Right / left hand
- Door Thick: 1 1/4" - 1 3/4"
- Packing: 10 Sets / Ctn

Complete with accessories



1" inch projection solid brass deadbolt with hardened steel rolling insert




Latch



3 nickle plated brass keys



Window display box



Alloy Handle Lockset

6950 Series



□ SOLEX-6950SS

□ SOLEX-6950AB

□ SOLEX-6950AC

□ SOLEX-6950PB

Sepecification

- 5 Brass pin tumbler cylinder.
- Protection coating for corrosion resistance.
- Latch bolt and deadbolt units : Installation 2 3/8" or 2 3/4" backset.
- Swing Door : Right / left hand
- Door Thick: 1 1/4" - 1 3/4"
- Packing: 10 Sets / Ctn

Complete with accessories



1" inch projection solid brass deadbolt with hardened steel rolling insert




Latch



3 nickel plated brass keys




Window display box




Alloy Handle Lockset

6810 Series



□ SOLEX-6810SS



□ SOLEX-6810AC

Complete with accessories



1" inch projection solid brass deadbolt with hardened steel rolling insert



Latch



3 nickel plated brass keys




Window idisplay box


Sepecification

- SOLEX Security 5 Brass pin tumbler cylinder.
- 1" inch projection solid brass deadbolt with hardened steel rolling insert to prevent sawing.
- Interior operation by thumbturn and free acting handle or knob.
- Protection coating for corrosion resistance on exterior applications.
- Universal latchbolt and deadbolt units allow for installation with either 2 3/8" or 2 3/4" backset.
- Install in either right or left hand swinging door
- Fit door 1 1/4" to 1 3/4" thick
- Packing: 10 Sets / Ctn

6840 Series



□ SOLEX-6840SS



□ SOLEX-6840AC

Complete with accessories



1" inch projection solid brass deadbolt with hardened steel rolling insert



Latch



3 nickel plated brass keys




Window idisplay box

Sepecification


- SOLEX Security 5 Brass pin tumbler cylinder.
- 1" inch projection solid brass deadbolt with hardened steel rolling insert to prevent sawing.
- Interior operation by thumbturn and free acting handle or knob.
- Protection coating for corrosion resistance on exterior applications.
- Universal latchbolt and deadbolt units allow for installation with either 2 3/8" or 2 3/4" backset.
- Install in either right or left hand swinging door
- Fit door 1 1/4" to 1 3/4" thick
- Packing: 10 Sets / Ctn

Alloy Handle Lockset


□ SOLEX-6740TC/AC



□ SOLEX-6750TC/AC



□ SOLEX-6780TC/AC



Sepecification

- 5 Brass pin tumbler cylinder.
- Protection coating for corrosion resistance.
- Latch bolt and deadbolt units : Installation 2 3/8" or 2 3/4" backset.
- Swing Door : Right / left hand
- Door Thick: 1 1/4" - 1 3/4"
- Packing: 10 Sets / Ctn

Complete with accessories



1" inch projection solid brass deadbolt with hardened steel rolling insert



3 nickel plated brass keys




Latch




Window display box

Alloy Handle Lockset


□ SOLEX-6650AC



□ SOLEX-6760AC



□ SOLEX-6680AC



Sepecification

- 5 Brass pin tumbler cylinder.
- Protection coating for corrosion resistance.
- Latch bolt and deadbolt units : Installation 2 3/8" or 2 3/4" backset.
- Swing Door : Right / left hand
- Door Thick: 1 1/4" - 1 3/4"
- Packing: 10 Sets / Ctn

Complete with accessories



1" inch projection solid brass deadbolt with hardened steel rolling insert



3 nickel plated brass keys



Latch



Window display box

Single Deadbolt




□ SOLEX-5900SS



□ SOLEX-5900AB



□ SOLEX-5900AC



Specification

- 1" projection solid brass dead bolt with hardened steel roll insert to prevent sawing.
- Replaces most existing locks with only a screwdriver.
- Instructions enclosed.
- Easy to install in wooden and steel doors.
- Backset size 2 3/8" or 2 3/4"
- 3 keys supplied
- Packing: 24 sets / ctn.

Complete with accessories



3 nickel plated brass keys



1" projection solid brass dead bolt with hardened steel roll insert



PVC Blister Pack

Double Deadbolt




□ SOLEX-5910SS



□ SOLEX-5910AB



□ SOLEX-5910AC



Specification

- 1" projection solid brass dead bolt with hardened steel roll insert to prevent sawing.
- Replaces most existing locks with only a screwdriver.
- Instructions enclosed.
- Easy to install in wooden and steel doors.
- Backset size 2 3/8" or 2 3/4"
- 3 keys supplied
- Packing: 24 sets / ctn

Complete with accessories



3 nickel plated brass keys



1" projection solid brass dead bolt with hardened steel roll insert



PVC Blister Pack


Single Deadbolt (With Computer Key)



□ SOLEX-5900ESS



□ SOLEX-5900EAC



Specification

- 1" projection solid brass dead bolt with hardened steel roll insert to prevent sawing.
- Replaces most existing locks with only a screwdriver.
- Instructions enclosed.
- Easy to install in wooden and steel doors.
- Backset size 2 3/8" or 2 3/4"
- 3 keys supplied
- Packing: 24 sets / ctn.

Complete with accessories



5 nickel plated brass computer keys



1" projection solid brass dead bolt with hardened steel roll insert



PVC Blister Pack


Double Deadbolt (With Computer Key)



□ SOLEX-5910ESS



□ SOLEX-5910EAC



Specification

- 1" projection solid brass dead bolt with hardened steel roll insert to prevent sawing.
- Replaces most existing locks with only a screwdriver.
- Instructions enclosed.
- Easy to install in wooden and steel doors.
- Backset size 2 3/8" or 2 3/4"
- 3 keys supplied
- Packing: 24 sets / ctn

Complete with accessories



5 nickel plated brass computer keys



1" projection solid brass dead bolt with hardened steel roll insert




PVC Blister Pack

Stainless Steel Mortise Lockset


□ SOLEX-5085101SS




□ SOLEX-5085104SS




□ SOLEX-5085102SS



□ SOLEX-5085107SS



□ SOLEX-5085103SS



Material : SUS 304 Stainless Steel
Finish: Hairline Polished

Specification

- Anti-rust and anti-tarnish
- Stainless steel front plated lockcase size 50mm x 85mm.
- Stainless steel lever set with 2 stainless steel escutcheons.
- Solid brass cylinder for security system.
- Heavy duty all steel chassis construction of lockcase.
- Decorative, elegance & durable with maximum security.
- Fit any door.
- Installation enclosed.
- Packing: 8 Sets / Ctn


Packing




PVC Blister Pack

Stainless Steel Mortise Lockset


□ SOLEX-5085H2SS




□ SOLEX-5085109SS




□ SOLEX-5085H3SS



□ SOLEX-5085115SS



□ SOLEX-5085S2SS



Material : SUS 304 Stainless Steel
Finish: Hairline Polished

Specification


- Anti-rust and anti-tarnish
- Stainless steel front plated lockcase size 50mm x 85mm.
- Stainless steel lever set with 2 stainless steel escutcheons.
- Solid brass cylinder for security system.
- Heavy duty all steel chassis construction of lockcase.
- Decorative, elegance & durable with maximum security.
- Fit any door.
- Installation enclosed.
- Packing: 8 Sets / Ctn

Packing



PVC Blister Pack

Mortise Lockcase



Specification

- For wood door and steel door.
- Use with Solex cylinder - T60, T70, D60, T70, TE60, TE70, DE60, DE70
- 2 step deadbolt type (turn 2 times for open).
- Switchable latch (left or right hand door).
- PVC blister pack.

Complete with accessories



Stainless steel
striker plate




Complete with
stainless steel screws

Model	A Backset	B Distance	C Lock case width	D Lock case height	E Forend length	F Forend length
SOLEX-4585SS	45 mm	85 mm	72 mm	172 mm	240 mm	22 mm
SOLEX-5085SS	50 mm	85 mm	77 mm	172 mm	240 mm	22 mm
SOLEX-6085SS	60 mm	85 mm	82 mm	173 mm	235 mm	22 mm

Euro Cylinder


Single Cylinder (Stainless Steel)



Single Cylinder

- SOLEX-T60SS
- SOLEX-T70SS


Double Cylinder (Stainless Steel)



Double Cylinder

- SOLEX-D60SS
- SOLEX-D70SS

Single Cylinder - Round (Stainless Steel)



Single Cylinder (Round)

- SOLEX-O60SS
- SOLEX-O70SS

Specification

- Replaces most existing locks with only a screwdriver.
- Instructions enclosed.
- Easy to install in wooden and steel doors.
- 3 keys supplied.
- Packing: 24 sets / ctn.


Complete with accessories

3 nickel plated
brass keys

Box Pack

Euro Cylinder (With Computer Key)


Single Cylinder (Stainless Steel)



Single Cylinder

- SOLEX-TE60SS
- SOLEX-TE70SS


Double Cylinder (Stainless Steel)



Double Cylinder

- SOLEX-DE60SS
- SOLEX-DE70SS

Single Cylinder - Round (Stainless Steel)



Single Cylinder (Round)

- SOLEX-OE60SS
- SOLEX-OE70SS

Specification

- Replaces most existing locks with only a screwdriver.
- Instructions enclosed.
- Easy to install in wooden and steel doors.
- 5 computer keys supplied.
- Packing: 24 sets / ctn.


Complete with accessories

5 nickel plated
brass computer
keys

Box Pack

Bathroom Euro Cylinder

Bathroom Cylinder (Stainless Steel)



Single Cylinder

□ SOLEX-T60/BKSS

Specification

- Replaces most existing locks with only a screwdriver.
- Instructions enclosed.
- Easy to install in wooden and steel doors.
- Packing: 24 sets / ctn.


Complete with accessories



Box Pack

Door Clip

□ SOLEX-SL50



Specification

- SUS 304 stainless steel case.
- High quality.
- Doesn't come with cylinder.
(You can choose the size & type of cylinder separately)
- Packing: Box pack.


Complete with accessories



Box Pack

Stainless Steel Mortise Lock

□ SOLEX-425SS



Complete with accessories



Lock Case



2 Keys




PVC Blister Pack

- Anti-rust with maximum security
- Material : Stainless Steel
- Packing : 12 Sets / Ctn

Special Lock Case

□ SOLEX-4085H




Sliding Lockcase

- With computerized keys.
- Heavy duty use.
- For both steel door and wooden door
- Packing : 24 Pcs / Ctn



□ SOLEX-265HSS




Mortise Deadlock

- For Sliding door
- Heavy duty with solid brass hook.
- Cross keyed system for maximum security.
- Stainless steel cover plated & screws, plastic washer supplied.
- Anti-rust and durable.
- Packing : 48 Pcs / Ctn



□ SOLEX-412HSS



Aluminium Door Lock

- Heavy duty with solid stainless steel bolt / hook.
- Cross keyed system for maximum security
- Stainless steel cover plate & screws.
- Plastic washer, supplied.
- Anti-rust and durable.
- Packing : 48 Pcs / Ctn



□ SOLEX-RSL



Roller Shutter Lock


- Heavy duty shutter lock.
- 16 Pinos key way which cannot be duplicated.
- Cylinder is made of brass for durability of use.
- Packing : 48 Pcs / Ctn



Hinges

Stainless Steel Hinges with Ball Bearing


□ SOLEX-4330SB(B)



Size : 4" x 3" x 3 mm (t)

- Comes with stainless steel screws
- Material : Stainless Steel
- Finish : Hairline Polished
- Packing : 50 Pairs/Ctn

□ SOLEX-4321SB




Size : 4" x 3" x 2 mm (t)

- Comes with stainless steel screws
- Material : Stainless Steel
- Finish : Hairline Polished
- Packing : 50 Pairs/Ctn

Stainless Steel Hinges with Washer

□ SOLEX-4320SS(B)




Size : 4" x 3" x 2 mm (t)

- Comes with stainless steel screws
- Material : Stainless Steel
- Finish : Hairline Polished
- Packing : 50 Pairs/Ctn

Solid Brass Hinges with Ball Bearing

□ SOLEX-4320PBB




Size : 4" x 3" x 2.0 mm (t)

- Comes with stainless steel screws
- Material : Brass
- Finish : Polished Brass
- Packing : 48 Pairs/Ctn



Solid Brass Hinges with Washer

□ SOLEX-4425PBB




Size : 4" x 4" x 2.5 mm (t)

- Comes with stainless steel screws
- Material : Brass
- Finish : Polished Brass
- Packing : 48 Pairs/Ctn



Door Stopper & Door Closer


Stainless Steel Door Stopper



- Anti-Rust
- For door stopper & hanger
- Stainless steel screw supplied

Hook / Hanger

□ SOLEX-DSH:SS



- Anti-Rust
- Decorative & durable

Magnetic

□ SOLEX-DSM

- Comes with stainless steel screws
- Material : Stainless
- Finish : Hairline Polished
- Packing : 48 pcs / Ctn





Door Closer



Model: 86

□ SOLEX-86




- Suitable for small & medium doors. (Weight not exceed 60kg)
- Slimmer than ever.
- Higher performance.
- Packing : 24 pcs / Bdl




Stainless Steel Door Bolt


Stainless Steel Door Bolt



Length : 4"
 SOLEX-DB:4"SS



Length : 6"
 SOLEX-DB:6"SS



Length : 10"
 SOLEX-DB:10"SS


- Material : Stainless Steel
- Finish : Polished
- Packing : 4" - 144 Pcs / Ctn
 6" - 144 Pcs / Ctn
 10" - 72 Pcs / Ctn



Stainless Steel Square Door Bolt




Model : S



SOLEX-SDB:S




Model : M



SOLEX-SDB:M



Model : L




SOLEX-SDB:L

- Material : Stainless Steel
- Finish : Polished
- Packing : 120 Pcs / Ctn



Stainless Steel Square Door Bolt with Indicator (OC)




Latch View



Indicator View



Back Plate



SOLEX-SDB:OC

- Material : Stainless Steel
- Finish : Polished
- Packing : 48 Pcs / Ctn



Index

Item Code	Description	Page No.	Item Code	Description	Page No.
SOLEX-265HSS	SOLEX MORTISE LOCK NO:265HSS	32	SOLEX-DE60SS	SOLEX EURO CYLINDER DOUBLE/COMPUTER KEYS	30
SOLEX-3862AB	SOLEX ALLOY HANDLE LOCKSET NO:3862AB	19	SOLEX-DE70SS	SOLEX EURO CYLINDER DOUBLE/COMPUTER KEYS	30
SOLEX-3862AC	SOLEX ALLOY HANDLE LOCKSET NO:3862AC	19	SOLEX-DSH:SS	SOLEX DOOR STOPPER HANGER:SS	34
SOLEX-3862SS	SOLEX ALLOY HANDLE LOCKSET NO:3862SS	19	SOLEX-DSM	SOLEX DOOR STOPPER MAGNETIC	34
SOLEX-4085H	SOLEX DOOR LOCK NO:4085H	32	SOLEX-G5-45	SOLEX PADLOCK - G5 - BRASS	7
SOLEX-412HSS	SOLEX ALUMINIUM DOOR LOCK	32	SOLEX-G5-45CR	SOLEX PADLOCK - G5 - CHROMIUM	7
SOLEX-425SS	SOLEX STAINLESS STEEL MORTISE LOCK	32	SOLEX-G5-45CRL	SOLEX PADLOCK - G5 - CHROMIUM/LONG SHACKLE	7
SOLEX-4320PBB	SOLEX BRASS HINGES NO:4320PBB	33	SOLEX-G5-45L	SOLEX PADLOCK - G5 - LONG SHACKLE	7
SOLEX-4320SS(B)	SOLEX STAINLESS STEEL HINGES NO:4320SS	33	SOLEX-G5-55	SOLEX PADLOCK - G5 - BRASS	7
SOLEX-4321SB	SOLEX STAINLESS STEEL HINGES NO:4321SB	33	SOLEX-G5-55CRL	SOLEX PADLOCK - G5 - CHROMIUM	7
SOLEX-4330SB(B)	SOLEX STAINLESS STEEL HINGES NO:4330SB	33	SOLEX-G5-55CRL	SOLEX PADLOCK - G5 - CHROMIUM/LONG SHACKLE	7
SOLEX-4425PBB	SOLEX BRASS HINGES NO:4425PBB	33	SOLEX-G5-55L	SOLEX PADLOCK - G5 - LONG SHACKLE	7
SOLEX-4585SS	SOLEX MORTISE LOCKCASE	28	SOLEX-G5-KA452CR	SOLEX PADLOCK - G5 - KEY-ALIKE	10
SOLEX-500AB	SOLEX CYLINDRICAL KNOB NO:500AB	16	SOLEX-G5-KA453CR	SOLEX PADLOCK - G5 - KEY-ALIKE	10
SOLEX-500AC	SOLEX CYLINDRICAL KNOB NO:500AC	16	SOLEX-G5-KA454CR	SOLEX PADLOCK - G5 - KEY-ALIKE	10
SOLEX-500SS	SOLEX CYLINDRICAL KNOB NO:500SS	15	SOLEX-G5-KA455CR	SOLEX PADLOCK - G5 - KEY-ALIKE	10
SOLEX-500SS(B)	SOLEX CYLINDRICAL KNOB NO:500SS	15	SOLEX-G5-KA552CR	SOLEX PADLOCK - G5 - KEY-ALIKE	10
SOLEX-500SSBK(B)	SOLEX CYLINDRICAL KNOB NO:500SSBK	15	SOLEX-G5-KA553CR	SOLEX PADLOCK - G5 - KEY-ALIKE	10
SOLEX-500SSP(B)	SOLEX CYLINDRICAL KNOB NO:500SSP	15	SOLEX-G5-KA554CR	SOLEX PADLOCK - G5 - KEY-ALIKE	10
SOLEX-5085SS	SOLEX MORTISE LOCKCASE	28	SOLEX-G5-KA555CR	SOLEX PADLOCK - G5 - KEY-ALIKE	10
SOLEX-5085101SS	SOLEX MORTISE LOCKSET NO:5085101SS	26	SOLEX-KA502SS	SOLEX SUS 304 MARINE PADLOCK - KEY-ALIKE	10
SOLEX-5085102SS	SOLEX MORTISE LOCKSET NO:5085102SS	26	SOLEX-KA503SS	SOLEX SUS 304 MARINE PADLOCK - KEY-ALIKE	10
SOLEX-5085103SS	SOLEX MORTISE LOCKSET NO:5085103SS	26	SOLEX-KA504SS	SOLEX SUS 304 MARINE PADLOCK - KEY-ALIKE	10
SOLEX-5085104SS	SOLEX MORTISE LOCKSET NO:5085104SS	26	SOLEX-KA505SS	SOLEX SUS 304 MARINE PADLOCK - KEY-ALIKE	10
SOLEX-5085107SS	SOLEX MORTISE LOCKSET NO:5085107SS	26	SOLEX-MII30	SOLEX PADLOCK - MACH II - BRASS	6
SOLEX-5085109SS	SOLEX MORTISE LOCKSET NO:5085109SS	27	SOLEX-MII30CR	SOLEX PADLOCK - MACH II - CHROMIUM	6
SOLEX-5085115SS	SOLEX MORTISE LOCKSET NO:5085115SS	27	SOLEX-MII35	SOLEX PADLOCK - MACH II - BRASS	6
SOLEX-5085H2SS	SOLEX MORTISE LOCKSET NO:5085H2SS	27	SOLEX-MII35CR	SOLEX PADLOCK - MACH II - CHROMIUM	6
SOLEX-5085H3SS	SOLEX MORTISE LOCKSET NO:5085H3SS	27	SOLEX-MII40	SOLEX PADLOCK - MACH II - BRASS	6
SOLEX-5085S2SS	SOLEX MORTISE LOCKSET NO:5085S2SS	27	SOLEX-MII40CR	SOLEX PADLOCK - MACH II - CHROMIUM	6
SOLEX-5900AB	SOLEX SINGLE DEADBOLT NO:5900AB	24	SOLEX-MII40CRL	SOLEX PADLOCK - MACH II - CHROMIUM/LONG SHACKLE	6
SOLEX-5900AC	SOLEX SINGLE DEADBOLT NO:5900AC	24	SOLEX-MII40L	SOLEX PADLOCK - MACH II - LONG SHACKLE	6
SOLEX-5900EAC	SOLEX SINGLE DEADBOLT NO:5900EAC	25	SOLEX-MII50	SOLEX PADLOCK - MACH II - BRASS	6
SOLEX-5900ESS	SOLEX SINGLE DEADBOLT NO:5900ESS	25	SOLEX-MII50CR	SOLEX PADLOCK - MACH II - CHROMIUM	6
SOLEX-5900SS	SOLEX SINGLE DEADBOLT NO:5900SS	24	SOLEX-MII50CRL	SOLEX PADLOCK - MACH II - CHROMIUM/LONG SHACKLE	6
SOLEX-5910AB	SOLEX DOUBLE DEADBOLT NO:5910AB	24	SOLEX-MII50L	SOLEX PADLOCK - MACH II - LONG SHACKLE	6
SOLEX-5910AC	SOLEX DOUBLE DEADBOLT NO:5910AC	24	SOLEX-MII60	SOLEX PADLOCK - MACH II - BRASS	6
SOLEX-5910EAC	SOLEX DOUBLE DEADBOLT NO:5910EAC	25	SOLEX-MII60CR	SOLEX PADLOCK - MACH II - CHROMIUM	6
SOLEX-5910ESS	SOLEX DOUBLE DEADBOLT NO:5910ESS	25	SOLEX-MII-KA4010CR	SOLEX PADLOCK - MACH II - KEY-ALIKE	10
SOLEX-5910SS	SOLEX DOUBLE DEADBOLT NO:5910SS	24	SOLEX-MII-KA403CR	SOLEX PADLOCK - MACH II - KEY-ALIKE	10
SOLEX-6085SS	SOLEX MORTISE LOCKCASE	28	SOLEX-MII-KA404CR	SOLEX PADLOCK - MACH II - KEY-ALIKE	10
SOLEX-6200AC	SOLEX CYLINDRICAL KNOB NO:6200AC	16	SOLEX-MII-KA405CR	SOLEX PADLOCK - MACH II - KEY-ALIKE	10
SOLEX-6650AC	SOLEX ALLOY HANDLE LOCKSET NO:6650AC	23	SOLEX-MII-KA406CR	SOLEX PADLOCK - MACH II - KEY-ALIKE	10
SOLEX-6680AC	SOLEX ALLOY HANDLE LOCKSET NO:6680AC	23	SOLEX-MII-KA5010CR	SOLEX PADLOCK - MACH II - KEY-ALIKE	10
SOLEX-6740TC/AC	SOLEX ALLOY HANDLE LOCKSET NO:6740TC/AC	22	SOLEX-MII-KA503CR	SOLEX PADLOCK - MACH II - KEY-ALIKE	10
SOLEX-6750TC/AC	SOLEX ALLOY HANDLE LOCKSET NO:6750TC/AC	22	SOLEX-MII-KA504CR	SOLEX PADLOCK - MACH II - KEY-ALIKE	10
SOLEX-6760AC	SOLEX ALLOY HANDLE LOCKSET NO:6760AC	23	SOLEX-MII-KA505CR	SOLEX PADLOCK - MACH II - KEY-ALIKE	10
SOLEX-6780TC/AC	SOLEX ALLOY HANDLE LOCKSET NO:6780TC/AC	22	SOLEX-MII-KA506CR	SOLEX PADLOCK - MACH II - KEY-ALIKE	10
SOLEX-6810AC	SOLEX ALLOY HANDLE LOCKSET NO:6810AC	21	SOLEX-MII-MK4010CR	SOLEX PADLOCK - MACH II - MASTER KEY	9
SOLEX-6810SS	SOLEXALLOY HANDLE LOCKSET NO:6810SS	21	SOLEX-MII-MK403CR	SOLEX PADLOCK - MACH II - MASTER KEY	9
SOLEX-6840AC	SOLEX ALLOY HANDLE LOCKSET NO:6840AC	21	SOLEX-MII-MK404CR	SOLEX PADLOCK - MACH II - MASTER KEY	9
SOLEX-6840SS	SOLEX ALLOY HANDLE LOCKSET NO:6840SS	21	SOLEX-MII-MK405CR	SOLEX PADLOCK - MACH II - MASTER KEY	9
SOLEX-6950AB	SOLEX SOLID FORGED BRASS HANDLE LOCKSET	20	SOLEX-MII-MK406CR	SOLEX PADLOCK - MACH II - MASTER KEY	9
SOLEX-6950AC	SOLEX SOLID FORGED BRASS HANDLE LOCKSET	20	SOLEX-MII-MK503CR	SOLEX PADLOCK - MACH II - MASTER KEY	9
SOLEX-6950PB	SOLEX SOLID FORGED BRASS HANDLE LOCKSET	20	SOLEX-MII-MK503CR	SOLEX PADLOCK - MACH II - MASTER KEY	9
SOLEX-6950SS	SOLEX SOLID FORGED BRASS HANDLE LOCKSET	20	SOLEX-MII-MK504CR	SOLEX PADLOCK - MACH II - MASTER KEY	9
SOLEX-700AB	SOLEX ALLOY HANDLE LOCKSET NO:700AB	18	SOLEX-MII-MK505CR	SOLEX PADLOCK - MACH II - MASTER KEY	9
SOLEX-700AC	SOLEX ALLOY HANDLE LOCKSET NO:700AC	18	SOLEX-MII-MK506CR	SOLEX PADLOCK - MACH II - MASTER KEY	9
SOLEX-700SS	SOLEX ALLOY HANDLE LOCKSET NO:700SS	18	SOLEX-MP70	SOLEX WAREHOUSE LOCK	12
SOLEX-86	SOLEX DOOR CLOSER NO:86	34	SOLEX-O60SS	SOLEX EURO CYLINDER ROUND	29
SOLEX-9100AB	SOLEX CYLINDRICAL KNOB NO:9100AB	17	SOLEX-O70SS	SOLEX EURO CYLINDER ROUND	29
SOLEX-9100AC	SOLEX CYLINDRICAL KNOB NO:9100AC	17	SOLEX-OE60SS	SOLEX EURO CYLINDER ROUND/COMPUTER KEYS	30
SOLEX-9100SS	SOLEX CYLINDRICAL KNOB NO:9100SS	17	SOLEX-OE70SS	SOLEX EURO CYLINDER ROUND/COMPUTER KEYS	30
SOLEX-9220AB	SOLEX CYLINDRICAL KNOB NO:9220AB	17	SOLEX-RSL	SOLEX ROLLER SHUTTER LOCK	32
SOLEX-9220AC	SOLEX CYLINDRICAL KNOB NO:9220AC	17	SOLEX-SDB:L	SOLEX STAINLESS STEEL SQUARE DOOR BOLT	35
SOLEX-9220SS	SOLEX CYLINDRICAL KNOB NO:9220SS	17	SOLEX-SDB:M	SOLEX STAINLESS STEEL SQUARE DOOR BOLT	35
SOLEX-9500AB	SOLEX CYLINDRICAL KNOB NO:9500AB	16	SOLEX-SDB:OC	SOLEX STAINLESS STEEL SQUARE DOOR BOLT	35
SOLEX-9500AC	SOLEX CYLINDRICAL KNOB NO:9500AC	16	SOLEX-SDB:S	SOLEX STAINLESS STEEL SQUARE DOOR BOLT	35
SOLEX-9500SS	SOLEX CYLINDRICAL KNOB NO:9500SS	16	SOLEX-SL110-20	SOLEX BRASS PADLOCK , SL-110	11
SOLEX-9850AB	SOLEX CYLINDRICAL KNOB NO:9850AB	17	SOLEX-SL110-25	SOLEX BRASS PADLOCK , SL-110	11
SOLEX-9850AC	SOLEX CYLINDRICAL KNOB NO:9850AC	17	SOLEX-SL110-30	SOLEX BRASS PADLOCK , SL-110	11
SOLEX-9850SS	SOLEX CYLINDRICAL KNOB NO:9850SS	17	SOLEX-SL110-40	SOLEX BRASS PADLOCK , SL-110	11
SOLEX-BAR69	SOLEX PADLOCK BAR 69	13	SOLEX-SL50	SOLEX DOOR CLIPS NO.SL-50	31
SOLEX-BAR88	SOLEX PADLOCK BAR 88	13	SOLEX-SS40	SOLEX SUS 304 MARINE PADLOCK 40MM	8
SOLEX-CL	SOLEX CONTAINER LOCK	12	SOLEX-SS40L	SOLEX SUS 304 MARINE PADLOCK	8
SOLEX-CN62/78	SOLEX PADLOCK 62/78 SS	8	SOLEX-SS50	SOLEX SUS 304 MARINE PADLOCK 50MM	8
SOLEX-CU62/75	SOLEX PADLOCK 62/75 SS	8	SOLEX-SS50L	SOLEX SUS 304 MARINE PADLOCK	8
SOLEX-CU67/84	SOLEX PADLOCK 67/84 SS	8	SOLEX-T60/BKSS	SOLEX EURO CYLINDER THUMBTURN/BATHROOM	31
SOLEX-D60SS	SOLEX EURO CYLINDER DOUBLE	29	SOLEX-T60SS	SOLEX EURO CYLINDER THUMBTURN	29
SOLEX-D70SS	SOLEX EURO CYLINDER DOUBLE	29	SOLEX-T70SS	SOLEX EURO CYLINDER THUMBTURN	29
SOLEX-DB:10"SS	SOLEX STAINLESS STEEL DOOR BOLT	35	SOLEX-TE60SS	SOLEX EURO CYLINDER THUMBTURN/COMPUTER KEYS	30
SOLEX-DB:4"SS	SOLEX STAINLESS STEEL DOOR BOLT	35	SOLEX-TE70SS	SOLEX EURO CYLINDER THUMBTURN/COMPUTER KEYS	30
SOLEX-DB:6"SS	SOLEX STAINLESS STEEL DOOR BOLT	35	SOLEX-TL	SOLEX TRELLE LOCK	12

SOLEX®

PROFESSIONAL QUALITY LOCKSET



AVAILABLE AT YOUR NEAREST DISTRIBUTOR

